# Safety Data Sheet KERALASTIC T comp.A

Safety Data Sheet dated: 15/09/2023 - version 2



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: KERALASTIC T comp.A

Trade code: 901035

UFI: NHJ0-60AH-400Q-MQWD

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Epoxy-polyurethane adhesive

Uses advised against: Data not available.

## 1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel. +(39)02376731 (office hours) - Fax: +39-02-37673.214 - www.mapei.it

Responsible: sicurezza@mapei.it

#### 1.4. Emergency telephone number

Centro antiveleni, Azienda ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, via Antonio Cardarelli 9, Napoli - Tel. 081 5453333

Centro antiveleni, Azienda ospedaliera universitaria Careggi, U.O. Tossicologia medica, via Largo Brambilla 3, Firenze - Tel. 055 7947819 Centro antiveleni, Centro nazionale d'informazione tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica del lavoro e della riabilitazione, via Salvatore Maugeri 10, Pavia - Tel. 0382 24444

Centro antiveleni, Azienda ospedaliera Niguarda Ca' Granda, piazza Ospedale Maggiore 3, Milano - Tel. 02 66101029

Centro antiveleni, Azienda ospedaliera "Papa Giovanni XXIII", Tossicologia clinica, Dipartimento di farmacia clinica e farmacologia, piazza OMS 1, Bergamo - Tel. 800 883300

Centro antiveleni Policlinico "Umberto I", PRGM tossicologia d'urgenza, viale del Policlinico 155, Roma - Tel. 06 49978000

Centro antiveleni del Policlinico "Agostino Gemelli", Servizio di tossicologia clinica, largo Agostino Gemelli 8, Roma - Tel. 06 3054343

Centro antiveleni, Azienda ospedaliera universitaria Riuniti, viale Luigi Pinto 1, Foggia - Tel. 800 183459

Centro antiveleni, Ospedale pediatrico Bambino Gesù, Dipartimento emergenza e accettazione DEA, piazza Sant'Onofrio 4, Roma - Tel. 06 68593726

Centro antiveleni dell'Azienda ospedaliera universitaria integrata (AOUI) di Verona sede di Borgo Trento, piazzale Aristide Stefani, 1 - 37126 Verona - Tel. 800 011858

#### **SECTION 2: Hazards identification**



#### 2.1. Classification of the substance or mixture

## Regulation (EC) n. 1272/2008 (CLP)

Skin Irrit. 2 Causes skin irritation.

Eye Irrit. 2 Causes serious eye irritation.

Skin Sens. 1 May cause an allergic skin reaction.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Adverse physicochemical, human health and environmental effects:

No other hazards

## 2.2. Label elements

## Regulation (EC) No 1272/2008 (CLP):

## Hazard pictograms and Signal Word



Warning

# **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 1 of 12

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

P261 Avoid breathing mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

**Special Provisions:** 

EUH204 Contains isocyanates. May produce an allergic reaction.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### **Contains**

bis-[4-(2,3-epoxipropoxi)phenyl]propane

## Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: No other hazards

This preparation contains low molecular weight epoxy resins. Cross sensitisation to other epoxies is possible. Avoid also exposure to spray mist and vapour.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not Relevant

#### 3.2. Mixtures

Mixture identification: KERALASTIC T comp.A

#### Hazardous components within the meaning of the CLP regulation and related classification:

Qty		Name	Ident. Numb.	Classification	Registration Number	Material Properties
≥5 - < %	≥5 - <10 %	bis-[4-(2,3- epoxipropoxi)phenyl]propane	CAS:1675-54-3, 25085-99-8 EC:216-823-5 Index:603-073-	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	01-2119456619-26- XXXX	
			00-2	Specific Concentration Limits: C ≥ 5%: Skin Irrit. 2 H315 C ≥ 5%: Eye Irrit. 2 H319		
≥0.25 <0.49		4-nonylphenol, branched	CAS:84852-15-3 EC:284-325-5 Index:601-053- 00-8	Repr. 2, H361fd; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302, M-Chronic:10, M- Acute:10	01-2119510715-45- XXXX	SVHC
≥0.25 <0.49		ethylene glycol monobutyl ether	CAS:111-76-2 EC:203-905-0 Index:603-014- 00-0	Acute Tox. 3, H331 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319		
				Acute Toxicity Estimate: ATE - Oral: 1200mg/kg bw		

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 2 of 12

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

#### In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

#### In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## 4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

## 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

## For emergency responders:

Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

## 6.4. Reference to other sections

See also section 8 and 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 3 of 12

See also section 8 for recommended protective equipment.

## Advice on general occupational hygiene:

## 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Community Occupational Exposure Limits (OEL)**

	OEL Type	Country	Occupational Exposure Limit
ethylene glycol monobutyl ether CAS: 111-76-2	DFG	GERMANY	Short Term: Ceiling - 98 mg/m3 - 20 ppm
	ACGIH		Long Term: 20 ppm A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans; eye and upper respiratory tract irritation;
	National	SWEDEN	Long Term: 50 mg/m3 - 10 ppm
	National	FRANCE	Long Term: 49 mg/m3 - 10 ppm; Short Term: 246 mg/m3 - 50 ppm
	National	SPAIN	Long Term: 98 mg/m3 - 20 ppm; Short Term: 245 mg/m3 - 50 ppm
	National	GREECE	Long Term: 120 mg/m3 - 25 ppm
	National	DENMARK	Long Term: 98 mg/m3 - 20 ppm
	National	FINLAND	Long Term: 98 mg/m3 - 20 ppm; Short Term: 250 mg/m3 - 50 ppm
	National	GERMANY	Long Term: 49 mg/m3 - 10 ppm
	National	PORTUGAL	Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm
	National	NORWAY	Long Term: 50 mg/m3 - 10 ppm; Short Term: 75 mg/m3 - 15 ppm
	National	BELGIUM	Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm
	NDS	POLAND	Long Term: 98 mg/m3
	NDSCh	POLAND	Short Term: 200 mg/m3
	CHE	SWITZERLAN D	Short Term: 98 mg/m3 - 20 ppm
	NDS	NETHERLAND S	Long Term: 100 mg/m3; Short Term: 246 mg/m3
	National	CZECH REPUBLIC	Long Term: 100 mg/m3
	National	HUNGARY	Long Term: 98 mg/m3; Short Term: 246 mg/m3
	Malaysi a OEL	MALAYSIA	Long Term: 96.7 mg/m3 - 20 ppm Skin notation;
	National	ESTONIA	Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm
	National	LATVIA	Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm
	National	CZECH REPUBLIC	Short Term: Ceiling - 200 mg/m3
	National	SLOVAKIA	Short Term: Ceiling - 246 mg/m3
	National	SLOVAKIA	Long Term: 98 mg/m3 - 20 ppm
		SLOVENIA	Long Term: 98 mg/m3 - 20 ppm; Short Term: 245 mg/m3 - 50 ppm
	National	UNITED KINGDOM	Long Term: 123 mg/m3 - 25 ppm; Short Term: 246 mg/m3 - 50 ppm
	National	BULGARIA	Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 4 of 12

National ROMANIA Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm TUR TURKEY Long Term: 50 mg/m3 - 10 ppm; Short Term: 100 mg/m3 - 20 ppm National LITHUANIA National CROATIA Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm FU

Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm

Behaviour Indicative

Possibility of significant uptake through the skin;

**ACGIH** Long Term: 20 ppm

A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans; eye and upper

respiratory tract irritation

Malaysi MALAYSIA Long Term: 96.7 mg/m3 - 20 ppm

a OEL Skin notation

ΕU Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm

Behaviour Indicative

Possibility of significant uptake through the skin

National SLOVENIA Long Term: 98 mg/m3 - 20 ppm; Short Term: 246 mg/m3 - 50 ppm

## **Biological limit values**

ethylene glycol monobutyl Biological Indicator: Butoxyacetic acid ( BAA ); Sampling Period: End of turn

ether Value: 200 MGGCREAT; Medium: Urine

CAS: 111-76-2

#### Predicted No Effect Concentration (PNEC) values

4-nonylphenol, branched Exposure Route: Fresh Water; PNEC Limit: 0.000614 mg/l

CAS: 84852-15-3

Exposure Route: Marine water; PNEC Limit: 0.000527 mg/l Exposure Route: Freshwater sediments; PNEC Limit: 4.62 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 1.23 mg/kg

#### **Derived No Effect Level (DNEL) values**

CAS: 84852-15-3

4-nonylphenol, branched Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 0.5 mg/m3; Consumer: 0.4 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects

Worker Industry: 1 mg/m3; Consumer: 0.8 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 7.5 mg/kg; Consumer: 3.8 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects

Worker Industry: 15 mg/kg; Consumer: 7.6 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 0.08 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 0.4 mg/kg

## 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

## Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Print date 15/09/2023 **Production Name** KERALASTIC T comp.A 5 of 12 Page n.

In case of insufficient ventilation use mask with ABEKP filters (EN 14387).

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Appearance: paste Color: various

Odour: Characteristic

Odour threshold: Not available

Melting point / freezing point: Not available
Initial boiling point and boiling range: Not available

Flammability: N.A.

Lower and upper explosion limit: Not available

Flash point: Not available

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: Not Relevant

Viscosity: 1,500,000.00 cPs Kinematic viscosity: Not available Solubility in water: Insoluble Solubility in oil: soluble

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available Relative density: 1.70 g/cm3

Vapour density: ==
Particle characteristics:
Particle size: Not available

#### 9.2. Other information

Miscibility: Not available
Conductivity: Not available
Explosive properties: ==
No other relevant information

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions

## 10.2. Chemical stability

Stable under normal conditions

## 10.3. Possibility of hazardous reactions

None.

## 10.4. Conditions to avoid

Stable under normal conditions.

## 10.5. Incompatible materials

None in particular.

## 10.6. Hazardous decomposition products

None.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Toxicological Information of the Preparation**

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation The product is classified: Skin Irrit. 2(H315)
c) serious eye damage/irritation The product is classified: Eye Irrit. 2(H319)
d) respiratory or skin sensitisation The product is classified: Skin Sens. 1(H317)

e) germ cell mutagenicity Not classified

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 6 of 12

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

Not classified j) aspiration hazard

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

bis-[4-(2,3epoxipropoxi)phenyl] a) acute toxicity

LD50 Skin Rabbit = 20 mg/kg

propane

LD50 Oral Rat =  $11300 \mu L/kg$ 

4-nonylphenol, branched a) acute toxicity LD50 Oral Rat = 1246 mg/kg

LD50 Skin Rabbit = 2031 mg/kg

b) skin corrosion/irritation Skin Irritant Rabbit Negative

d) respiratory or skin

sensitisation

Skin Sensitization Rat Negative

ethylene glycol monobutyl a) acute toxicity

ether

ATE - Oral: 1200 mg/kg bw

LD50 Oral Guineapig = 1414 mg/kg

## 11.2. Information on other hazards

## **Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration >= 0.1%

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

a) Aquatic acute toxicity: - Based on available data, the classification criteria are not met

## List of Eco-Toxicological properties of the components

Component Ident. Numb. **Ecotox Data** 

bis-[4-(2,3-CAS: 1675-54-3, a) Aquatic acute toxicity: LC50 Fish = 2 mg/L 96h

25085-99-8 epoxipropoxi)phenyl]propane EINECS: 216-823-5 - INDEX: 603-073-00-2

a) Aquatic acute toxicity: EC50 Daphnia = 1.8 mg/L 48h

CAS: 84852-15- a) Aquatic acute toxicity: LC50 Fish Pimephales promelas = 0.135 mg/L 96h 4-nonylphenol, branched

**IUCLID** 3 - EINECS:

284-325-5 -INDEX: 601-053-00-8

a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 0.1351 mg/L 96h

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna = 0.14 mg/L 48h

**IUCLID** 

Print date 15/09/2023 **Production Name** KERALASTIC T comp.A 7 of 12 Page n.

a) Aquatic acute toxicity: EC50 Algae Pseudokirchneriella subcapitata 0.36

mg/L 96h EPA

a) Aquatic acute toxicity :  $\,$  EC50 Algae Pseudokirchneriella subcapitata  $\,$  0.16

mg/L 72h EPA

a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 1.3 mg/L

72h IUCLID

ethylene glycol monobutyl ether CAS: 111-76-2

EINECS: 203-905-0 - INDEX:

CAS: 111-76-2 - a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 1490 mg/L 96h

EPA

603-014-00-0

a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna > 1000 mg/L 48h

EPA

a) Aquatic acute toxicity: LC50 Fish Lepomis macrochirus = 2950 mg/L 96h

IÚCLÍD

## 12.2. Persistence and degradability

ΝΛ

#### 12.3. Bioaccumulative potential

Component	Bioaccumulation	Test	Duration	Value
4-nonylphenol, branched	Not bioaccumulative	BCF - Bioconcentrantion factor	28 d	740

#### 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

#### 12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

#### 12.7. Other adverse effects

Not available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

# Hazardous waste: Yes

## Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

## Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## **SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

## 14.1. UN number or ID number

Not Applicable

# 14.2. UN proper shipping name

Not Applicable

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 8 of 12

## 14.3. Transport hazard class(es)

Not Applicable

## 14.4. Packing group

Not Applicable

#### 14.5. Environmental hazards

Not Applicable

#### 14.6. Special precautions for user

Not Applicable

Road and Rail (ADR-RID):

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC): N.A. g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

None

# Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 46, 75

## **SVHC Substances:**

# Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

Component Ident. Numb. Quantity Material Properties

4-nonylphenol, branched CAS: 84852-15-3 >=0.25 - SVHC <0.49 %

EINECS: 284-325-5 Index: 601-053-00-8

## **National regulations**

Produktregisteret Norge: 635202

German Water Hazard Class.

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 9 of 12

Description

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Code

Code	Description
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Cada	Unanad alasa and basend astronom. Basenintian

Code	Hazard class and hazard category	Description
3.1/3/Inhal	Acute Tox. 3	Acute toxicity (inhalation), Category 3
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.4.2/1	Skin Sens. 1	Skin Sensitisation, Category 1
3.7/2	Repr. 2	Reproductive toxicity, Category 2
4.1/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
4.1/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1
4.1/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

(EC) Nr. 1272/2008	Classification procedu
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method
Aquatic Chronic 3, H412	Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures) BCF: Biological Concentration Factor BEI: Biological Exposure Index

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 10of 12

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

## Paragraphs modified from the previous revision:

- SECTION 2: Hazards identification

- SECTION 3: Composition/information on ingredients
- SECTION 5: Firefighting measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 11of 12

- SECTION 15: Regulatory information
- SECTION 16: Other information

Print date 15/09/2023 Production Name KERALASTIC T comp.A Page n. 12of 12